



Follow us on social media



Tiktok



Facebook



WhatsApp



Instagram



0086-592-5099391

0086-592-5099319

aaron@stonediamondtool.com

403 Building 10 GuanYin Shan International Business Center Xiamen,China

www.stonediamondtool.com



MURATTOOLS

Xiamen Murat Tool Limited, worked as the exclusive stone tools institution of Xiamen Murat Import & Export Co., Ltd, is a leading diamond tool products manufacturer and exporter in Fujian China more than 10 years' history. With perfect and full industrial chain for diamond tools, as well as convenient delivery system, we are well-accepted all over domestic and international markets. Based on advanced technology and comprehensively systematic research and analysis, we have been developing diamond tools in different application which featured with continuous and reliable quality.

Our main products are various of specification diamond saw blades, flexible polishing pads, diamond grinding wheels, diamond segments, diamond wire and abrasives etc. All these products have reached international advanced standard, which extensively used for cutting, polishing & grinding stone, concrete, asphalt, porcelain, glass and so on. At present our products are mainly exported to USA, Canada, Germany, Italy, Portugal, Poland, Russia, Brazil, Chile, Australia, UAE, South Africa etc.

We'd like to supply the diamond tools of your specifications into high quality and services. Any questions, please feel free to contact us at any time.





01

CONCRETE GRINDING TOOLS

- ⦿ **Floor Grinding Discs** P04–P20
 - Trapezoid P04–P06
 - Husqvarna P06–P08
 - Lavina P08–P09
 - HTC P10–P11
 - Werkmaster P12
 - Terrco P13
 - Klindex P14
 - 3" P15
 - 10" P16
 - Others P17–P20

- ⦿ **Cup Wheels** P20–P22

02

CONCRETE POLISHING TOOLS

- ⦿ **Floor Resin Pads** P20–P22
 - Ceramic transitional Floor Pads P23
 - Copper & Resin Bond Floor Pads P24
 - Resin–Copper Bond Polishing Pads P25–P26
 - Ring Pad P27

- ⦿ **Floor Maintenance Pads** P27

03

BUSH HAMMERED ROLLER

..... P28–P30

04

ABRASIVE BRUSH

..... P30–P31

05

CONCRETE CUTTING TOOLS

- ⦿ **Crack Tuckpoint Master** P31
- ⦿ **Laserweld concrete blade** P31

06

WET GRINDER

..... P32–P33

07

ADAPTS TO MOST FLOOR SYSTEMS

- Quick Change Plate P34–P35
- Quick Change Adaptor P35–P36
- Dust Cover P37–P38
- Backer Pad P38

CONCRETE GRINDING TOOLS

PCD

PCD diamond tools, are used for concrete surface prep for fast coating, mastic and glue removal, and exposed aggregate.

They are available for applications requiring clockwise and counter-clockwise rotation.

DIAMONDS

Metal bond diamonds are designed for aggressive coating removal, concrete grinding, and concrete polishing applications.

GRIT

6#	16#	25#	30#	70#	120#	220#
----	-----	-----	-----	-----	------	------

BOND

HARD	MEDIUM	SOFT	EXTRA HARD	EXTRA SOFT
------	--------	------	------------	------------

TRAPEZOID PCD



PCD-2S01



PCD-2S02



PCD-2R01



PCD-2R02



PCD-5S41



Split PCD shoe



PCD-S12412



PCD-N1421



DMY-N01



DMY-68



PCD-2R



PCD-2R3



DMY-69



PCD-5S83



PCD-03D

TRAPEZOID DIAMONDS



DMY-ES1



DMY-ES2



DMY-41



DMY-43B



DMY-43D



DMY-43E



DMY-02E



DMY-2S




DMY-63



DMY-3T



DMY-41E



DMY-41F

Floor Grinding Discs



DMY-41A



DMY-ES3



DMY-64




DMY-43



DMY-43A



DMY-43H



DMY-53



DMY-53A



DMY-53B

HUSQVARNA PCD



PCD-H3R



PCD-F13412



PCD-H9S



PCD-H50



PCD-HR2



PCD-FN142



PCD-N02



PCD-021431



PCD-FN143

Floor Grinding Discs

HUSQVARNA DIAMONDS



DMY-20A



DMY-20B



DMY-30A



DMY-39



DMY-40



DMY-51H



DMY-20D




DMY-20S



DMY-51F



DMY-51G



DMY-62A



DMY-62B



DMY-51A



DMY-51



DMY-62



DMY-51B




DMY-51D



DMY-51E

Floor Grinding Discs



DMY-61



DMY-51C



DMY-30E



DMY-30D



DMY-30B



DMY-30C

LAVINA PCD



LV-2S01



LV-2S05



PCD-13043



PCD-LV2ST



PCD-LV9S



PCD-LV2414

LAVINA DIAMONDS



LV-1S05



LV-2S04



DMY-1S02

Floor Grinding Discs



LV-2S07



LV-2S



LV-2T01



LV-2T02



LV-3S01



LV-4L02



LV-4L03



LV-4L04



LV-5R02



LV-5T02



LV-5T03



LV-2S08



LV-2J01



LV-2J02



DMY-66



LV-2S01



LV-2S03



LV-6S05



DMY-67



DMY-1S03



LV-2S06

Floor Grinding Discs

01

HTC PCD



DMY-76



DMY-76A



DMY-76B



DMY-76C



DMY-76D



PCD-06



DMY-76E



DMY-76F



DMY-76G

HTC DIAMONDS



DMY-52



DMY-52A



DMY-52B



DMY-H003



DMY-52E



DMY-52F

Floor Grinding Discs

01



DMY-52T



DMY-H001



DMY-H70B




DMY-72



DMY-73



DMY-73A



DMY-74



DMY-77



DMY-50




DMY-50A




DMY-50B




DMY-50C



DMY-H002



DMY-52D



DMY-H70A

Floor Grinding Discs

WERKMASTER PCD



WM-PCD03




WM-205



DMY-PCD02

WERKMASTER DIAMONDS



WM-203



WM-203A




WM-203B




WM-201S




WM-01



WM-02



WM-03



WM-04



WM-06



WM-2301




WM-201A



WM-201B



WM-202A



WM-202B



WM-05

Floor Grinding Discs

TERRCO PCD



PCD-A5



DMY-4PCDA



DMY-4PCD

TERRCO DIAMONDS



DMY-87



DMY-88



DMY-89



DMY-89A



DMY-4TP



DMY-6TP



DMY-90



DMY-91




DMY-92

Floor Grinding Discs

KLINDEX DIAMONDS



KD-1210A



KD-908



DGW-LV200A



DGW-KD240



DGW-KD240PCD



DGW-KD200PCD



DGW-LV200




KD-1612



KD-1210



KD-512



DMY-83B




KD-704



KD-1012



KD-412



KD-612



KD-510



KD-912



KD-Y1212

Floor Grinding Discs

3" DIAMONDS



DMY-36



DMY-2010A



DMY-2010B




STI-8TA



STI-6TA



DMY-2010C



STI-3T



STI-5T



DMY-X3



STI-5TA



DMY-38



DMY-5S



DMY-84



DMY-86



DMY-83



FT95T-9



DMY-T5S



STI-3TA


Floor Grinding Discs

01

10" PCD



DGWPCD01



DGWPCD02




DGWPCD03

10" DIAMONDS



DMY-95




DMY-5T




DGW-K250A




DMY-K250D




DMY-1250A



DMY-57



DGW-K250



DGW-K250B



DGW-K250C

Floor Grinding Discs

01


OTHERS



JS-PCD01



JS-01



JS-02




DMY-42P



DMY-42



DMY-42A




DMY-42B



MLT-P01




MLT-H01



MLT-H02



MLT-H03



PCD-M2R2D



RHPCD01



RH-A01



RH-D01



RH-R01



RH-R02



RH-R03

Floor Grinding Discs



MLT-G99



MLT-G01



MLT-G02



MLT-G03



MLT-B01



MLT-B02



RGPCD01



RG-A01



RG-B01




RG-B02



RGPCD-02




RG-R01



SCPCD-01



SCPCD-04



SC-08



SC-09



DMY-44



SC-01



PCD--203A



DMY-203A




SC-06

Floor Grinding Discs



DMY-201D



DMY-47



DMY-47-1



SCPCD-02



DMY-P03R



STIPCD-03



DMY-201B



DMY-202E



DM-S01




BG-B01



DMY-71



DMY-PCD7



MLT-J01



MLT-J02



DMY-2018




DMY-201A



DMY-201E



MLT-E01



ED-01A



ED-02



STI-7T

Cup wheels



STI-PCD01



SCPCD-03



SC-02



DGW-R170



DGW-2008




HTC-160-3T



DGW-300A



DGW-300B



DMY-X2

CUP WHEEL PCD



PCD-W09R



PCD-W03



PCD-W13416



PCD-W01



PCD-W02



PCD-W0605



PCD-W558A



PCD-W124



PCD-W6S10

Cup wheels


CUP WHEEL DIAMONDS



DGW-09SA



DGW-K12



DGW-12T



DGW-V237



DMY-2020D



DGW-CD07



DGW-10SA



DGW-17



DGW-18



DGW-2010A



DGW-08SA



DGW-L150



DGW-HS08



DGW-G0905



DGW-K6



DGW-2020A



DGW-2020C



DGW-T5

Cup wheels



DGW-08



DGW-2020E



DGW-10



DGW-208A




DGW-05



DGW-6ST




DGW-208B



DGW-K150



DGW-12J




DGW-S1407




DGW-KN99




DGW-J1206



DGW-2014Z



DGW-03A



DGW-250A



DGW-03



DGW-02



DGW-01



DGW-U15



DGE-12



DGW-16

Floor Resin Pads

CONCRETE POLISHING TOOLS

CERAMIC TRANSITIONAL FLOOR PADS

Excellent for removing scratches from metal steps on concrete and terrazzo


GRIT	30#	50#	100#	200#	400#
SIZE	3"/4"/5"/7"/9"				



Size:5"/7"
CP-03



Size:3"
CP-02A



Size:9"
CP-09




Size:4"
CP-04



Size:5"
CP-05



Size:7"
CP-07



Size:3"
CP-01



Size:3"
CP-02

Floor Resin Pads

COPPER & RESIN BOND FLOOR PAD

Copper Transition Diamonds are aggressive and will quickly transition the gap between metal bond and standard resin bond diamonds.

GRIT	30#	50#	100#	200#	400#
SIZE	3"/4"				

Resin Diamonds are what actually begins the polishing process 100% high quality resin bond for extra durability and producing the highest quality finish under the heaviest machines.

GRIT	30#	50#	100#	200#	400#	800#	1500#	3000#
SIZE	3"/4"							



DMY-20T



DMY-04A



DMY-04



DMY-09




DMY-02



DMY-030517



DMY-75G




DMY-1203

Floor Resin Pads

RESIN-COPPER BOND POLISHING PADS

BCU resin-copper bond polishing pads, style DR. With high diamond concentration and copper inside, the BCE serial pads, never use Sic as additive, with aggressive and tenaciously, better heat transmissibility performance, can be used both by dry or by wet.

They are designed for a variety of applications and can be used in the fabrication.



3SP-04A



3SP-04



3SP-01



3SP-03



3SP-02



3SP-06



3SP-05



BUFF-01

Floor Resin Pads



DM-02



RCB-01



DM-01



DMD-N1



DMC-02




DMD-01



SDM-01




DEP-01




DEP-04



DMD-K01




DEP-02



DEP-03

Floor Maintenance Pads

RING PAD



FLOOR MAINTENANCE PADS

Diamond Impregnated Pads use microscopic diamonds to maintain and enhance the shine on your surface.

They can be used dry on high speed equipment, such as burnishers, or wet on slower speed buffers and floor scrubbers. You can easily incorporate these pads into your current maintenance schedule by replacing your brushes and pads with high production.



CM-03



CM-01



CM-04



CM-02



DMY-P1



YM-01

BUSH HAMMERED ROLLER

It makes anti-slip marble, granite and concrete surfaces. It removes glues, paints and epoxy resin. It shatters thick resins hardly removable with other type of tools. It creates the "exposed face effect" on precast panels. It bush hammers all type of surfaces. Prepares the surface for resin application.

Bush hammer used in combination with diamond tools, leave the surface perfectly smoothed and to the desired conditions of roughness according to the next required treatment.



BHR-7T



BHR-10T



BHR-20T



BHR-B




BHR-L30



BHR-45



BHR-100



BHR-160



BHR-315



BHR-11



BHR-U50



BHR-303



BHR-45A



BHR-45B



BHR-10



BHR-30T



BHR-45T



BHR-60T



BHR-40



BHRLV-01



BHR-301



BHR-303N



BHRHTC-02



BHR-302



BHR-451



BHR-452



DMY-43E



BHRSTI-01



BHR-125



BHR-125-A



BHR-125A



BHR-150A



BHR-150*4



DMY-41A



BHR-212-3



BHR-230-3

Abrasive Brush



BHR-240



BHR-270-3



BH-270-6



BHR-300-6A



BHR-HTC6



BHR-F001

ABRASIVE BRUSH

It is made of Dupont nylon, Nanometer strengthen with high neat silicon-carbide. Used for auto grinding

machine, hand grinding machine and floor polishing machine. Applied to surface grinding of marble, man-made stone, granite, glass brick and crystallite etc. to get antique and sillike effect.

Archaize Brush, Abrasive Brush is equipped with advanced processing technics of Archaize Brush, Abrasive Brush. We supply Archaize Brush, Abrasive Brush and other products in different specifications.

GRIT:

24#	36#	46#	60#	80#	120#
180#	240#	320#	500#	800#	



AB-01



AB-02



AB-04



AB-05



AB-06




AB-07

Crack Tuckpoint Master



FCB-01




FCB-02

CRACK TUCKPOINT MASTER

Crack Tuckpoint Master



TP03A



Laser-TP4

Used for: grooving stone and angle grinder & skill saw

Application: used for cutting concrete, hard concrete with reinforced bar, brick, pavers, and field stones.

Steel Core: silence core or normal core

Arbor: 25.4-20mm and other arbor sizes to fit all saws

Advantage: fast cutting without chipping, long life span, excellent general purpose, etc.



TP-1



TP-2



TP-3

SIZE	4"	4.5"	5"	7"	8"
THICKNESS	6mm(0.25")			10mm (0.4")	
ARBOR	7/8-5/8"(4-5")			DM-7/8-5/8"(7-8")	

Laserweld concrete blade



TP-H350



TP-5A

True general purpose performance combining excellent cutting speed and life on block, precast concrete, reinforced concrete, concrete pavers, and stone.

Laser welded, 10mm alternating turbo/segmented design, swept narrow gullets, and cool core.

Wet Grinder

WET GRINDER

Air Grinder-AG02



Product Code	Thread Size	Parameters	
AG-02	5/8"-11	Air Consumption	16cfm(0.45m ³ /min)
		Air Pressure	90Psi(0.62MPa)
	M14	Variable Speed	0 to 4500RPM
		Air Inlet	1/4"Npt
	M16	Max.Pad Diameter	5"
		Weight	1.04kg

Air Grinder-AG03



Product Code	Thread Size	Parameters		Remark
AG-03	5/8"-11	Air Consumption	16cfm(0.45m ³ /min)	Code with "C" means "C" shape handle is assembled
		Air Pressure	90Psi(0.62MPa)	
	M14	Variable Speed	0 to 4500RPM	
		Air Inlet	1/4"Npt	
	M16	Max.Pad Diameter	5"	
		WEight	1.04kg	

Wet Grinder

Wet Grinder WG 02/WG 03CE



Power: 800W/7A
Voltage: 230-240V/120V
Frequency: 50Hz/60Hz
Spindle Size: M14, 5/8"-11
Speed: 1000-4000rpm
Max Disc Diameter: 125mm
Color Box Size: 43x18x14cm
Color Size: 57x45x30.5cm/6pcs
G.W/N.W: 22/21KGS

Free accessories:
 1.Greepage Prof Swltch(GFCI)
 2.Plastic Water Hose
 3.Faucet/Water House Adapter
 4.Wrench
 5.Side Handle
 6.1 set of Extra Carbon Brush
 7.Splash Guard/Band Clamp
 8.4m Length Power Cord

Wet Grinder WGA3



Disc Size: 4"
Thread for Backer Pad: 5/8"-11
Color Box Size: 37x32x22.5cm
Color Size: 38.5x32x26cm/1pcs
G.W/N.W: 10/9KGS

Adapts To Most Floor Systems



Adapts To Most Floor Systems

ADAPTS TO MOST FLOOR SYSTEMS

Quick Change Adaptor

Lippage adapter plates are designed for your concrete floor grinder.


The metal plates fasten to the grinder head while the Velcro lining inside the plate allow different diamonds to attach to it.



Backer Pad




Adapts To Most Floor Systems



AD-317



BP-08



BP-M01



BP-01A



SL-01




SL-02



SL-03



SL-04



AD-314



AD-01



AD-02



AD-03



AD-04



AFB-01



AFB-02



AFB-03



AFB-04



AFB-K17



DMY-XP01



DMY-XP02



DMY-XP03

Adapts To Most Floor Systems

Quick Change Plate

This heavy duty quick change plate works with all of your favorite grinding and polishing tools.

Your metals can be changed quickly and efficiently to save you time on the job.



J-SAS230-3




J-HT180-3




J-HT270-3x3



J-KL200-SAS-3



J-FS240-6



J-HF-27023



J-HT270-6S



J-FS216-6




J-Br250-6S



J-FS230-3x3



J-FS230-SAS-3



J-KL200-LA-3




J-HT270-3x3




J-HT270-SAS-6



J-HT230-SAS-3



J-FS



J-FS0627



J-KL0627

Adapts To Most Floor Systems



J-FH2703




J-FS225




J-KL200



J-FH0309



J-BW6250



J-BL6250



J-Y309



J-S03230



HTCAD-270

Dust Shroud

The Dust Shroud is designed for use with diamond cup wheels in floor grinding applications. The shrouds are the pro's choice for dust control when using a hand grinder.

Size:5"/7"



DS-125A



DS-180A



DS-180



DS-125



DS-100



DS-125B

Question&Answer

1. As I know many companies supply free samples do you offer free samples?

Sorry no.We don't offer free samples.

According to Murat many years' experience,we think when people get the samples by paying they will cherish what they get.

Also though the quantity of sample is small however its cost is higher than normal production.

But for trial order, we can offer 3-5% discount.

2.What kind of service do you provide?

Before sale:

Provide product information market research forecasting product customization product processing consultation and other services for your convenience.

After sale:

1.Technical training on according to customer requirements;

2.We promise replacement under warranty;

3.We promise to supply the maintenance spare parts;

4.Regular call back or visit customers;

5.On time response to mail and phone calls of your complaints or consultation.

3.What could we do if we find your goods are not in good performance?

Give us detailed report as feedback.Analyze the possible reasons.

Try to find a way to solve the problem.If the problem caused by Murat products quality itself, Murat will make the compensation according to your actua loss.

